

Publikationen 2004

Bolz H, Bolz SS, Schade G, Kothe C, Mohrmann G, Hess M, Gal A. Impaired calmodulin binding of myosin-7A causes autosomal dominant hearing loss (DFNA11). *Hum Mutat*. 2004;24(3):274-5.

Hering R, Strauss KM, Tao X, Bauer A, Woitalla D, Mietz EM, Petrovic S, Bauer P, Schaible W, Muller T, Schols L, Klein C, Berg D, Meyer PT, Schulz JB, **Wollnik B**, Tong L, Kruger R, Riess O. Novel homozygous p.E64D mutation in DJ1 in early onset Parkinson disease (PARK7). *Hum Mutat*. 2004;24(4):321-9.

Jeron A, Hengstenberg C, Holmer S, **Wollnik B**, Riegger GA, Schunkert H, Erdmann J. KCNJ11 polymorphisms and sudden cardiac death in patients with acute myocardial infarction. *J Mol Cell Cardiol*. 2004;36(2):287-93.

Brichta L, Hahnen E, Haug K, Stier S, Klockgether T, **Wirth B**: Einfluss von Valproinsäure auf den SMN2-Proteinlevel: Eine gut bekannte Substanz als mögliche Therapie der spinalen Muskelatrophie, Jahrbuch der Neuromuskulären Erkrankungen (2004), Arcis Verlag, ISSN 1435-4209

Publikationen 2005

Sun Y, Grimmmer M, Schwarzer V, **Schoenen F**, Fischer U, **Wirth B**. Molecular and functional analysis of intragenic SMN1 mutations in patients with spinal muscular atrophy. *Hum Mutat*. 2005;25(1):64-71.

Stefanova M, Meinecke P, Gal A, **Bolz H**. A novel 9 bp deletion in the filamin a gene causes an otopalatodigital-spectrum disorder with a variable, intermediate phenotype. *Am J Med Genet A*. 2005;132(4):386-90.

Bolz H. Genetics of retinal dystrophies - an overview *Ophthalmologe*. 2005;102(7):661-73.

Horn D, Chyrek M, Kleier S, Luttgen S, **Bolz H**, Hinkel GK, Korenke GC, Riess A, Schell-Apacik C, Tinschert S, Wieczorek D, Gillessen-Kaesbach G, Kutsche K. Novel mutations in BCOR in three patients with oculo-facio-cardio-dental syndrome, but none in Lenz microphthalmia syndrome. *Eur J Hum Genet*. 2005;13(5):563-9.

Todt U, Dichgans M, Jurkat-Rott K, Heinze A, Zifarelli G, Koenderink JB, **Goebel I**, Zumbroich V, Stiller A, **Ramirez A**, Friedrich T, Gobel H, **Kubisch C**. Rare missense variants in ATP1A2 in families with clustering of common forms of migraine. *Hum Mutat*. 2005;26(4):315-21.

Buslei R, Nolde M, Hofmann B, Meissner S, Eyupoglu IY, Siebzehnrubl F, **Hahnen E**, Kreutzer J, Fahlbusch R. Common mutations of beta-catenin in adamantinomatous craniopharyngiomas but not in other tumours originating from the sellar region. *Acta Neuropathol (Berl)*. 2005;109(6):589-97.

Eyupoglu IY, **Hahnen E**, Heckel A, Siebzehnrubl FA, Buslei R, Fahlbusch R, Blumcke I. Malignant glioma-induced neuronal cell death in an organotypic glioma invasion model. Technical note. *J Neurosurg*. 2005;102(4):738-44.

Eyüpoglu IY, **Hahnen** E, Buslei R, Siebzehnrubl FA, Savaskan NE, Luders M, Trankle C, Wick W, Weller M, Fahlbusch R, Blumcke I. Suberoylanilide hydroxamic acid (SAHA) has potent anti-glioma properties in vitro, ex vivo and in vivo. *J Neurochem.* 2005;93(4):992-9.

Chefetz I, **Heller** R, Galli-Tsinopoulou A, Richard G, **Wollnik** B, Indelman M, Koerber F, Topaz O, Bergman R, Sprecher E, Schoenau E. A novel homozygous missense mutation in FGF23 causes Familial Tumoral Calcinosis associated with disseminated visceral calcification. *Hum Genet.* 2005;118(2):261-6.

Madrid RE, **Kubisch** C, Hays AP Early-onset toe walking in rippling muscle disease due to a new caveolin-3 gene mutation. *Neurology* 2005;65:1301-1303.

Kalay E, de Brouwer AP, Caylan R, Nabuurs SB, **Wollnik** B, Karaguzel A, Heister JG, Erdol H, Cremers FP, Cremers CW, Brunner HG, Kremer H. A novel D458V mutation in the SANS PDZ binding motif causes atypical Usher syndrome. *J Mol Med.* 2005;83(12):1025-32.

Karsak M, Cohen-Solal M, Freudenberg J, Ostertag A, Morieux C, Kornak U, Essig J, Erxlebe E, Bab I, **Kubisch** C, de Vernejoul MC, Zimmer A. Cannabinoid receptor type 2 gene is associated with human osteoporosis. *Hum Mol Genet.* 2005;14(22):3389-96

Bolz H, **Ebermann** I, Gal A. Protocadherin-21 (PCDH21), a candidate gene for human retinal dystrophies. *Mol Vis.* 2005;11:929-933.

Kubisch C Genetische Grundlagen nichtsyndromaler Hörstörungen. *Deutsches Ärzteblatt.* 2005, A2946 – A2953.

Bertini E, Burghes A, Bushby K, Estournet-Mathiaud B, Finkel RS, Hughes RA, Iannaccone ST, Melki J, Mercuri E, Muntoni F, Voit T, Reitter B, Swoboda KJ, Tiziano D, Tizzano E, Topaloglu H, **Wirth** B, Zerres K. 134th ENMC International Workshop: Outcome Measures and Treatment of Spinal Muscular Atrophy, 11-13 February 2005, Naarden, The Netherlands. *Neuromuscul Disord.* 2005;15(11):802-16.

Fischer D, Walter MC, Kesper K, Petersen JA, Aurino S, Nigro V, **Kubisch** C, Meindl T, Lochmuller H, Wilhelm K, Urbach H, Schroder R. Diagnostic value of muscle MRI in differentiating LGMD2I from other LGMDs. *J Neurol.* 2005;252(5):538-47.

Kubisch C, Ketelsen UP, Goebel I, Omran H. Autosomal recessive rippling muscle disease with homozygous CAV3 mutations. *Ann Neurol.* 2005; 57: 303-304.

Tukel T, Uzumcu A, Gezer A, Kayserili H, Yuksel-Apak M, Uyguner O, Gultekin S, Hennies HC, Nurnberg P, Desnick RJ, and **Wollnik** B. A new syndrome, congenital extraocular muscle fibrosis with ulnar hand anomalies, maps to chromosome 21qter. *J Med Genet* 2005; 42: 408-415.

Publikationen 2006

Tagariello A, **Heller** R, Greven A, Kalscheuer VM, Molter T, Rauch A, Kress W, Winterpacht A. Balanced translocation in a patient with craniosynostosis disrupts the SOX6 gene and an evolutionary conserved non-transcribed region. *J Med Genet.* 2006;43(6):534-40.

Uzumcu A, Norgett EE, Dindar A, Uyguner O, Nisli K, Kayserili H, Sahin SE, Dupont E, Severs NJ, Leigh IM, Yuksel-Apak M, Kelsell DP, **Wollnik** B. Loss of desmoplakin isoform I causes early onset cardiomyopathy and heart failure in a Naxos-like syndrome. *J Med Genet.* 2006;43(2):e5.

Netzer C, **Todt** U, Heinze A, Freudenberg J, Zumbroich V, Becker T, **Goebel** I, Ohlraun S, Goebel H, **Kubisch** C. Haplotype-based systematic association studies of ATP1A2 in migraine with aura. *Am J Med Genet B Neuropsychiatr Genet.* 2006;141B(3):257-260.

Netzer C, Bohlander SK, Hinzke M, Chen Y, Kohlhase J. Defining the heterochromatin localization and repression domains of SALL1. *Biochim Biophys Acta.* 2006 Mar; 1762(3):386-91.

Buslei R, Kreutzer J, Hofmann B, Schmidt V, Siebzehnrabl F, **Hahnen** E, Eyupoglu IY, Fahrbusch R, Blumcke I. Abundant hypermethylation of SOCS-1 in clinically silent pituitary adenomas. *Acta Neuropathol (Berl).* 2006;111(3):264-71.

Wirth B, **Brichta** L, Schrank B, Lochmuller H, **Blick** S, **Baasner** A, **Heller** R. Mildly affected patients with spinal muscular atrophy are partially protected by an increased SMN2 copy number. *Hum Genet.* 2006;119(4):422-8.

Li Y, **Wollnik** B, Pabst S, Lennarz M, **Rohmann** E, Gillissen A, Vetter H, Grohe C. BTNL2 gene variant and sarcoidosis. *Thorax.* 2006;61(3):273-4.

Rohmann E, Brunner HG, Kayserili H, Uyguner O, Nurnberg G, Lew ED, Dobbie A, Eswarakumar VP, Uzumcu A, Ulubil-Emeroglu M, Leroy JG, **Li** Y, Becker C, Lehnerdt K, Cremers CW, Yuksel-Apak M, Nurnberg P, **Kubisch** C, Schlessinger J, van Bokhoven H, **Wollnik** B. Mutations in different components of FGF signaling in LADD syndrome. *Nat Genet.* 2006;38(4):414-7.

Schoenen F, **Wirth** B. The zinc finger protein ZNF297B interacts with BDP1, a subunit of TFIIIB. *Biol Chem.* 2006;387(3):277-84.

Brichta L, **Holker** I, **Haug** K, Klockgether T, **Wirth** B. In vivo activation of SMN in spinal muscular atrophy carriers and patients treated with valproate. *Ann Neurol.* 2006;59(6):970-5.

Holsken A, Eyupoglu IY, Lueders M, Trankle C, Dieckmann D, Buslei R, **Hahnen** E, Blumcke I, Siebzehnrabl FA. Ex vivo therapy of malignant melanomas transplanted into organotypic brain slice cultures using inhibitors of histone deacetylases. *Acta Neuropathol (Berl).* 2006;112(2):205-15.

Fyfe JC, Menotti-Raymond M, David VA, **Brichta** L, Schaffer AA, Agarwala R, Murphy WJ, Wedemeyer WJ, Gregory BL, Buzzell BG, Drummond MC, **Wirth** B, O'Brien SJ. An ~140-kb deletion associated with feline spinal muscular atrophy implies an essential LIX1 function for motor neuron survival. *Genome Res.* 2006;16(9):1084-90.

Hahnen E, Eyupoglu IY, **Brichta** L, Haastert K, Trankle C, Siebzehnrabl FA, **Riessland** M, **Holker** I, Claus P, Romstock J, Buslei R, **Wirth** B, Blumcke I. In vitro and ex vivo evaluation of second-generation histone deacetylase inhibitors for the treatment of spinal muscular atrophy. *J Neurochem.* 2006;98(1):193-202.

Riessland M, Brichta L, Hahnen E, Wirth B. The benzamide M344, a novel histone deacetylase inhibitor, significantly increases SMN2 RNA/protein levels in spinal muscular atrophy cells. *Hum Genet.* 2006;120(1):101-10.

Eyüpoglu IY, Hahnen E, Trankle C, Savaskan NE, Siebzehnrubl FA, Buslei R, Lemke D, Wick W, Fahlbusch R, Blumcke I. Experimental therapy of malignant gliomas using the inhibitor of histone deacetylase MS-275. *Mol Cancer Ther.* 2006;5(5):1248-55.

Netzer C, Helmstaedter C, Ehrbrecht A, Engels H, Schwanitz G, Urbach H, Schroder R, Weber RG, Kornblum C. Global brain dysmyelination with above-average verbal skills in 18q- syndrome with a 17 Mb terminal deletion. *Acta Neurol Scand.* 2006;114(2):133-8.

Kalay E, Li Y, Uzumcu A, Uyguner O, Collin RW, Caylan R, Ulubil-Emiroglu M, Kersten FF, Hafiz G, van Wijk E, Kayserili H, Rohmann E, Wagenstaller J, Hoefsloot LH, Strom TM, Nurnberg G, Baserer N, den Hollander AI, Cremers FP, Cremers CW, Becker C, Brunner HG, Nurnberg P, Karaguzel A, Basaran S, Kubisch C, Kremer H, Wollnik B. Mutations in the lipoma HMGIC fusion partner-like 5 (LHFPL5) gene cause autosomal recessive nonsyndromic hearing loss. *Hum Mutat.* 2006;27(7):633-9.

Uyguner ZO, Siva A, Kayserili H, Saip S, Altintas A, Apak MY, Albayram S, Isik N, Akman-Demir G, Tasyurekli M, Oz B, Wollnik B. The R110C mutation in Notch3 causes variable clinical features in two Turkish families with CADASIL syndrome. *J Neurol Sci.* 2006;246(1-2):123-30.

Ramirez A, Heimbach A, Grundemann J, Stiller B, Hampshire D, Cid LP, Goebel I, Mubaidin AF, Wriegat AL, Roeper J, Al-Din A, Hillmer AM, Karsak M, Liss B, Woods CG, Behrens MI, Kubisch C. Hereditary parkinsonism with dementia is caused by mutations in ATP13A2, encoding a lysosomal type 5 P-type ATPase. *Nat Genet.* 2006;38(10):1184-91.

Wirth B, Brichta L, Hahnen E. Spinal muscle Atrophy: From gene to therapy. *Semin Pediatr Neurol.* 2006; 13: 121-31. **BUCHBEITRAG**

Wolf MT, Mucha BE, Hennies HC, Attanasio M, Panther F, Zalewski I, Karle SM, Otto EA, Deltas CC, Fuchshuber A, Hildebrandt F. Medullary cystic kidney disease type 1: mutational analysis in 37 genes based on haplotype sharing. *Hum Genet.* 2006;119(6):649-58.

Todt U, Freudenberg J, Goebel I, Netzer C, Heinze A, Heinze-Kuhn K, Göbel H, Kubisch C. MTHFR C677T polymorphism and migraine with aura. *Ann Neurol.* 2006;60(5):621-2; author reply 622-3.

Todt U, Freudenberg J, Goebel I, Heinze A, Heinze-Kuhn K, Rietschel M, Göbel H, Kubisch C. Variation of the serotonin transporter gene SLC6A4 in the susceptibility to migraine with aura. *Neurology.* 2006;67(9):1707-9.

Wirth B, Brichta L, Hahnen E. Spinal muscular atrophy and therapeutic prospects. *Prog Mol Subcell Biol.* 2006;44:109-32.

Publikationen 2007

Siebzehnrübl FA, Buslei R, Eyüpoglu IY, **Seufert S, Hahnen E** and Blümcke I. Histone Deacetylase Inhibitors Increase Neuronal Differentiation in Adult Forebrain Stem and Progenitor Cells. *Exp Brain Res.* 2007; 176(4):672-8.

Hoepken HH, Gispert S, Morales B, Wingerter O, Del Turco D, Mulsch A, Nussbaum RL, Muller K, Drose S, Brandt U, Deller T, **Wirth B**, Kudin AP, Kunz WS, Auburger G. Mitochondrial dysfunction, peroxidation damage and changes in glutathione metabolism in PARK6. *Neurobiol Dis.* 2007; 25(2):401-11.

Rudnik-Schoneborn S, Botzenhart E, Eggermann T, Senderek J, Schoser BG, Schroder R, Wehnert M, **Wirth B**, Zerres K. Mutations of the LMNA gene can mimic autosomal dominant proximal spinal muscular atrophy. *Neurogenetics.* 2007; 8(2):137-42.

Antzelevitch C, Pollevick GD, Cordeiro JM, Casis O, Sanguinetti M, Aizawa Y, Guerchicoff A, Pfeiffer R, Oliva A, **Wollnik B**, Gelber P, Bonaros EP, Burashnikov E, Wu Y, Sargent JD, Schickel S, Oberheiden R, Bhatia A, Hsu LF, Haissaguerre M, Schimpf R, Borggrefe M, Wolpert C. Loss-of-function mutations in the cardiac calcium channel underlie a new clinical entity characterized by ST-segment elevation, short QT intervals, and sudden cardiac death. *Circulation.* 2007; 115(4):442-9.

Uyguner O, Kayserili H, **Li Y**, Karaman B, Nürnberg G, Hennies HC, Becker C, Nürnberg P, Basaran S, Yüksel Apak M, **Wollnik B**. A new locus for autosomal recessive non-syndromic mental retardation maps to 1p21.1-p13.3. *Clin Genet.* 2007; 71(3):212-9.

Ebermann I, Walger M, Scholl HP, Issa PC, Luke C, Nurnberg G, Lang-Roth R, Becker C, Nurnberg P, **Bolz HJ**. Truncating mutation of the DFNB59 gene causes cochlear hearing impairment and central vestibular dysfunction. *Hum Mutat.* 2007; 28(6):571-7.

Ebermann I, Scholl HP, Charbel Issa P, **Becirovic E**, Lamprecht J, Jurklies B, Millan JM, Aller E, Mitter D, **Bolz H**. A novel gene for Usher syndrome type 2: mutations in the long isoform of whirlin are associated with retinitis pigmentosa and sensorineural hearing loss. *Hum Genet.* 2007; 121(2):203-11.

Dressman D, Ahearn ME, Yariz KO, Basterrecha H, Martinez F, Palau F, Barmada MM, Clark RD, Meindl A, **Wirth B**, Hoffman EP, Baumbach-Reardon L. X-linked infantile spinal muscular atrophy: clinical definition and molecular mapping. *Genet Med.* 2007; 9(1):52-60.

Ebermann I, Lopez I, Bitner-Glindzicz M, Brown C, Koenekoop RK, **Bolz HJ**. Deafblindness in French Canadians from Quebec: a predominant founder mutation in the USH1C gene provides the first genetic link with the Acadian population. *Genome Biol.* 2007; 8(4):R47.

Crisponi L, Crisponi G, Meloni A, Toliat MR, Nurnberg G, Usala G, Uda M, Masala M, Hohne W, Becker C, Marongiu M, Chiappe F, Kleta R, Rauch A, **Wollnik B**, Strasser F, Reese T, Jakobs C, Kurlemann G, Cao A, Nurnberg P, Rutsch F. Crisponi syndrome is caused by mutations in the CRLF1 gene and is allelic to cold-induced sweating syndrome type 1. *Am J Hum Genet.* 2007; 80(5):971-81.

Wirth B, Riessland M, Hahnen E. Drug discovery for spinal muscular atrophy. *Expert Opin Drug Discov.* 2007; 2(4): 437-51.

Coras R, Holsken A, Seufert S, **Hauke** J, Eyupoglu IY, Reichel M, Trankle C, Siebzehnrubl FA, Buslei R, Blumcke I, **Hahnen** E. The peroxisome proliferator-activated receptor-gamma agonist troglitazone inhibits transforming growth factor-beta-mediated glioma cell migration and brain invasion. *Mol Cancer Ther.* 2007; 6(6):1745-54.

Collin RW, Kalay E, Oostrik J, Caylan R, **Wollnik** B, Arslan S, den Hollander AI, Birinci Y, Lichtner P, Strom TM, Toraman B, Hoefsloot LH, Cremers CW, Brunner HG, Cremers FP, Karaguzel A, Kremer H. Involvement of DFNB59 mutations in autosomal recessive nonsyndromic hearing impairment. *Hum Mutat.* 2007; 28(7):718-23.

Frank V, Ortiz Bruchle N, Mager S, Frints SG, Bohring A, du Bois G, Debatin I, Seidel H, Senderek J, Besbas N, **Todt** U, **Kubisch** C, Grimm T, Teksen F, Balci S, Zerres K, Bergmann C. Aberrant splicing is a common mutational mechanism in MKS1, a key player in Meckel-Gruber syndrome. *Hum Mutat.* 2007; 28(6):638-9.

Brockschmidt A, **Todt** U, Ryu S, Hoischen A, Landwehr C, Birnbaum S, Frenck W, Radlwimmer B, Licher P, Engels H, Driever W, **Kubisch** C, Weber RG. Severe mental retardation with breathing abnormalities (Pitt-Hopkins syndrome) is caused by haploinsufficiency of the neuronal bHLH transcription factor TCF4. *Hum Mol Genet.* 2007; 16(12):1488-94.

Babbs C, **Heller** R, Everman DB, Crocker M, Twigg SR, Schwartz CE, Giele H, Wilkie AO. A new locus for split hand/foot malformation with long bone deficiency (SHFLD) at 2q14.2 identified from a chromosome translocation. *Hum Genet.* 2007; 122(2):191-9.

Elcioglu NH, Akin B, Toker E, Elcioglu M, Kaya A, Tuncali T, **Wollnik** B, Hornby S, Akarsu NA. Colobomatous macrophtalmia with microcornea syndrome maps to the 2p23-p16 region. *Am J Med Genet A.* 2007; 143(12):1308-12.

Boyadjiev SA; International Craniosynostosis Consortium. Genetic analysis of non-syndromic craniosynostosis. *Orthod Craniofac Res.* 2007; 10(3):129-37. (**Wollnik B**)

Ebermann I, Wilke R, Lauhoff T, Lübben D, Zrenner E, **Bolz** HJ. Two truncating USH3A mutations, including one novel, in a German family with Usher syndrome. *Mol Vis.* 2007; 13: 1539-47.

Shams I, **Rohmann** E, Eswarakumar VP, Lew ED, Yuzawa S, **Wollnik** B, Schlessinger J, Lax I. Lacrimo-Auriculo-Dento-Digital Syndrome Is Caused by Reduced Activity of the Fibroblast Growth Factor 10 (FGF10)-FGF Receptor 2 Signaling Pathway. *Mol Cell Biol.* 2007; 27:6903-12.

Kubisch C. Genetische Grundlagen der Migräne. *Med Gen.* 2007; 19:330-4.

Kalay E, Uzumcu A, Krieger E, Caylan R, Uyguner O, Ulubil-Emiroglu M, Erdol H, Kayserili H, Hafiz G, Başerer N, Heister AJ, Hennies HC, Nürnberg P, Başaran S, Brunner HG, Cremers CW, Karaguzel A, **Wollnik** B, Kremer H. MYO15A (DFNB3) mutations in Turkish hearing loss families and functional modeling of a novel motor domain mutation. *Am J Med Genet A.* 2007;143:2382-9.

Lew ED, Bae JH, **Rohmann E**, **Wollnik B**, Schlessinger J. Structural basis for reduced FGFR2 activity in LADD syndrome: Implications for FGFR autoinhibition and activation. Proc Natl Acad Sci U S A. 2007 Dec 11;104(50):19802-7.

Boulouiz R, Li Y, Abidi O, **Bolz H**, Chafik A, **Kubisch C**, Roub H, **Wollnik B**, Barakat A. Analysis of MYO7A in a Moroccan family with Usher syndrome type 1B: novel loss-of-function mutation and non-pathogenicity of p.Y1719C. Mol Vis. 2007;13:1862-5.

Publikationen 2008

Pabst S, **Wollnik B**, **Rohmann E**, Hintz Y, Glänzer K, Vetter H, Nickenig G, Grohé C. A novel stop mutation truncating critical regions of the cardiac transcription factor NKX2-5 in a large family with autosomaldominant inherited congenital heart disease. Clin Res Cardiol. 2008; 97(1):39-42.

Kaplan Y, Vargel I, Kansu T, Akin B, **Rohmann E**, Kamaci S, Uz E, Ozcelik T, **Wollnik B**, Akarsu NA. Skewed X-inactivation in an X-linked Nystagmus Family Resulted From a Novel, p.R229G, Missense Mutation in the FRMD7 Gene. Br J Ophthalmol. 2008; 92(1):135-41.

Witsch-Baumgartner M, Schwentner I, Gruber M, Benlian P, Bertranpetti J, Bieth E, Chevy F, Clusellas N, Estivill X, Gasparini P, Giros M, Kelley RI, Krajewska-Walasek M, Menzel J, Miettinen TA, Ogorelkova M, Rossi M, Scala I, Schinzel A, Schmidt K, Schönitzer D, Seemanova E, Sperling K, Syrrou M, Talmud P, **Wollnik B**, Krawczak M, Labuda D, Utermann G. Age and origin of major Smith-Lemli-Optiz Syndrome (SLOS) mutations in European populations. J Med Genet. 2008 ;45(4):200-9.

Netzer C, Freudenberg J, Toliat MR, Heinze A, Heinze-Kuhn K, Thiele H, **Goebel I**, Nurnberg P, Ptacek LJ, Gobel H, **Todt U**, **Kubisch C**. Genetic association studies of the chromosome 15 GABA-A receptor cluster in migraine with aura. Am J Med Genet B Neuropsychiatr Genet. Am J Med Gen B. 2008; 147B: 37-41

Schulz AL, Albrecht B, Arici C, van der Burgt I, Buske A, Gillessen-Kaesbach G, **Heller R**, Horn D, Hübner CA, Korenke GC, König R, Kress W, Krüger G, Meinecke P, Mücke J, Plecko B, Rossier E, Schinzel A, Schulze A, Seemanova E, Seidel H, Spranger S, Tuysuz B, Uhrig S, Wieczorek D, Kutsche K, Zenker M. Mutation and phenotypic spectrum in patients with cardio-facio-cutaneous and Costello syndrome. Clin Genet. 2008;73(1):62-70.

Michalk A, Stricker S, **Becker J**, Rupps R, Pantzar T, Miertus J, Botta G, Naretto VG, Janetzki C, Yaqoob N, Ott CE, Seelow D, Wieczorek D, Fiebig B, **Wirth B**, Hoopmann M, Walther M, Körber F, Blankenburg M, Mundlos S, **Heller R**, Hoffmann K. Acetylcholine receptor pathway mutations explain various fetal akinesia deformation sequence disorders. Am J Hum Genet. 2008; 82(2):464-76.

Collin RW, Kalay E, Tariq M, Peters T, van der Zwaag B, Venselaar H, Oostrik J, Lee K, Ahmed ZM, Caylan R, Li Y, Spierenburg HA, Eyupoglu E, Heister A, Riazuddin S, Bahat E, Ansar M, Arslan S, **Wollnik B**, Brunner HG, Cremers CW, Karaguzel A, Ahmad W, Cremers FP, Vriend G, Friedman TB, Riazuddin S, Leal SM, Kremer H. Mutations of ESRRB encoding estrogen-related receptor beta cause autosomal-recessive nonsyndromic hearing impairment DFNB35. Am J Hum Genet. 2008;82(1):125-38.

Brichta L, Garbes L, Jędrzejowska M, Grellscheid SN, Holker I, Zimmermann K, Wirth B. Nonsense-mediated messenger RNA decay of survival motor neuron 1 causes spinal muscular atrophy. *Hum Genet*. 2008;123(2):141-53.

Hahnen E, Hauke J, Tränkle C, Eyüpoglu IY, Wirth B, Blümcke I. Histone deacetylase inhibitors: possible implications for neurodegenerative disorders. *Expert Opin Investig Drugs*. 2008; 17(2):169-84.

Becirovic E, Ebermann I, Nagy D, Zrenner E, Seeliger MW, Bolz HJ. Usher syndrome type 1 due to missense mutations on both CDH23 alleles: investigation of mRNA splicing. *Hum Mutat*. 2008; 29(3): 452.

Stahl S, Gaetzner S, Voss K, Brackertz B, Schleider E, Sürücü O, Kunze E, Netzer C, Korenke C, Finckh U, Habek M, Poljakovic Z, Elbracht M, Rudnik-Schöneborn S, Bertalanffy H, Sure U, Felbor U. Novel CCM1, CCM2, and CCM3 mutations in patients with cerebral cavernous malformations: in-frame deletion in CCM2 prevents formation of a CCM1/CCM2/CCM3 protein complex. *Hum Mutat*. 2008;29(5):709-717.

Pasternack SM, von Kügelgen I, Aboud KA, Lee YA, Rüschendorf F, Voss K, Hillmer AM, Molderings GJ, Franz T, Ramirez A, Nürnberg P, Nöthen MM, Betz RC. G protein-coupled receptor P2Y5 and its ligand LPA are involved in maintenance of human hair growth. *Nat Genet*. 2008;40(3):329-34.

Oprea GE, Kröber S, McWhorter ML, Rossoll W, Müller S, Krawczak M, Bassell GJ, Beattie CE, Wirth B. Plastin 3 is a protective modifier of autosomal recessive spinal muscular atrophy. *Science*. 2008;320(5875):524-7.

Savaskan NE, Heckel A, Hahnen E, Engelhorn T, Doerfler A, Ganslandt O, Nimsky C, Buchfelder M, Eyüpoglu IY. Small interfering RNA-mediated xCT silencing in gliomas inhibits neurodegeneration and alleviates brain edema. *Nat Med*. 2008;14(6):629-32.

Ebermann I, Elsayed SM, Abdel-Ghaffar TY, Nürnberg G, Nürnberg P, Elsobky E, Bolz HJ. Double homozygosity for mutations of AGL and SCN9A mimicking neurohepatopathy syndrome. *Neurology*. 2008;70(24):2343-4.

Rudnik-Schöneborn S, Heller R, Berg C, Betzler C, Grimm T, Eggermann T, Eggermann K, Wirth R, Wirth B, Zerres K. Congenital heart disease is a feature of severe infantile spinal muscular atrophy. *J Med Genet*. 2008;45(10):635-8.

Peter BF, Lidington D, Harada A, Bolz HJ, Vogel L, Heximer S, Spiegel S, Pohl U, Bolz SS. Role of sphingosine-1-phosphate phosphohydrolase 1 in the regulation of resistance artery tone. *Circ Res*. 2008;103(3):315-24.

Budde BS, Namavar Y, Barth PG, Poll-The BT, Nürnberg G, Becker C, van Ruissen F, Weterman MA, Fluitert K, T Te Beek E, Aronica E, van der Knaap MS, Höhne W, Toliat MR, Crow YJ, Steinlin M, Voit T, Roelens F, Brussel W, Brockmann K, Kyllerman M, Boltshauser E, Hammersen G, Willemse M, Basel-Vanagaite L, Krägeloh-Mann I, de Vries LS, Sztriha L, Muntoni F, Ferrie CD, Battini R, Hennekam RC, Grillo E, Beemer FA, Stoets LM, Wollnik B, Nürnberg P, Baas F. tRNA splicing endonuclease mutations cause pontocerebellar hypoplasia. *Nat Genet*. 2008;40(9):1113-8.

Hilgert N, Alasti F, Dieltjens N, **Pawlak** B, **Wollnik** B, Uyguner O, Delmaghani S, Weil D, Petit C, Danis E, Yang T, Pandelia E, Petersen M, Goossens D, Favero J, Sanati M, Smith R, Van Camp G. Mutation analysis of TMC1 identifies four new mutations and suggests an additional deafness gene at loci DFNA36 and DFNB7/11. *Clin Genet.* 2008;74(3):223-32.

Tatenhorst L, **Hahnen** E, Heneka MT. Peroxisome Proliferator-Activated Receptors (PPARs) as Potential Inducers of Antineoplastic Effects in CNS Tumors. *PPAR Res.* 2008; 2008: 204514.

Siebzehnruhl FA, Jeske I, Müller D, Buslei R, Coras R, **Hahnen** E, Huttner HB, Corbeil D, Kaesbauer J, Appl T, von Hörsten S, Blümcke I. Spontaneous In Vitro Transformation of Adult Neural Precursors into Stem-Like Cancer Cells. *Brain Pathol.* 2009;19(3):399-408.

Neidhardt J, Glaus E, Lorenz B, **Netzer** C, Li Y, Schambeck M, Wittmer M, Feil S, Kirschner-Schwabe R, Rosenberg T, Cremers FP, Bergen AA, Barthelmes D, Baraki H, Schmid F, Tanner G, Fleischhauer J, Orth U, Becker C, Wegscheider E, Nürnberg G, Nürnberg P, **Bolz** HJ, Gal A, Berger W. Identification of novel mutations in X-linked retinitis pigmentosa families and implications for diagnostic testing. *Mol Vis.* 2008;14:1081-93.

Netzer C, Freudenberg J, Heinze A, Heinze-Kuhn K, Goebel I, McCarthy LC, Roses AD, Göbel H, Todt U, Kubisch C. Replication study of the insulin receptor gene in migraine with aura. *Genomics.* 2008;91(6):503-7.

Nyholt DR, Laforge KS, Kallela M, Alakurtti K, Anttila V, Färkkilä M, Hämaläinen E, Kaprio J, Kaunisto MA, Heath AC, Montgomery GW, Göbel H, **Todt** U, Ferrari MD, Launer LJ, Frants RR, Terwindt GM, de Vries B, Verschuren WM, Brand J, Freilinger T, Pfaffenrath V, Straube A, Ballinger DG, Zhan Y, Daly MJ, Cox DR, Dichgans M, van den Maagdenberg AM, **Kubisch** C, Martin NG, Wessman M, Peltonen L, Palotie A. A high-density association screen of 155 ion transport genes for involvement with common migraine. *Hum Mol Genet.* 2008;17(21):3318-31.

Seufert S, Coras R, Tränkle C, Zlotos DP, Blümcke I, Tatenhorst L, Heneka MT, **Hahnen** E. PPAR Gamma Activators: Off-Target Against Glioma Cell Migration and Brain Invasion. *PPAR Res.* 2008;2008:513943

Boulouiz R, **Li** Y, Soualhine H, Abidi O, Chafik A, Nürnberg G, Becker C, Nürnberg P, **Kubisch** C, **Wollnik** B, Barakat A. A novel mutation in the Espin gene causes autosomal recessive nonsyndromic hearing loss but no apparent vestibular dysfunction in a Moroccan family. *Am J Med Genet A.* 2008;146A(23):3086-9.

Sajjad N, **Goebel** I, Kakar N, Cheema AM, **Kubisch** C, Ahmad J. A novel HSF4 gene mutation (p.R405X) causing autosomal recessive congenital cataracts in a large consanguineous family from Pakistan. *BMC Med Genet.* 2008;9:99.